

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	TIME OUT
PAGE of	

INEXT ROUTINE INSE	CTION THIS DAY, THE ITEMS NO ECTION, OR SUCH SHORTER PO TS FOR CORRECTIONS SPECIFI	ERIOD OF TIME AS M	<i>I</i> IAY BE SPE	CIFIED	IN WR	TING BY	THE REGUL	CILITIES WHICH MUST BE CORRI ATORY AUTHORITY, FAILURE TO OPERATIONS	CTED I	BY THE PLY
ESTABLISHMENT	NAME:	OWNER:				011 07 10	0111000	PERSON IN CHARGE:		
ADDRESS:								COUNTY:		
CITY/ZIP:	17 Run N. Alai	PHONE:	. 1.	FAX	(:			P.H. PRIORITY: H	M	f 1
ESTABLISHMENT TYPE BAKERY	150 07005 FLOATED	683.74		_						
RESTAURANT PURPOSE	1	ER DE	MMER F.P.		GROCE	RY STOR		INSTITUTION MOBILE FEMP.FOOD	VENDO	RS
Pre-opening FROZEN DESSER	Routine Follow-up		☐ Other	14/4	a	(22)				
	proved Not Applicable	SEWAGE DISPO	SAL			IPPLY UNITY		N-COMMUNITY PRIVATE PR	ATE Its	
District			TORS AN					医医院 医皮肤 为外外		745
foodborne illness out	breaks, Public health Intervention	is are control measure	es to prevent	rted to t	he Cen ne illne	ters for Dis	/-	ol and Prevention as contributing fac	tors in	
Compliance IN OUT	Demonstration of K Person in charge present, demo		COS		mpliance	N/O N/A	Droper co	Potentially Hazardous Foods oking, time and temperature	C	OS R
0000	and performs duties									
IN) OUT	Employee He Management awareness; policy					NO N/A	Proper co	heating procedures for hot holding oling time and temperatures		
IN OUT	Proper use of reporting, restrict	ion and exclusion		IN	OUT N	VO NA	Proper ho	t holding temperatures		
IN OUT N/O	Good Hygienic P Proper eating, tasting, drinking				OUT N	N/A V/O N/A	Proper da	ld holding temperatures te marking and disposition		
IN) OUT N/O	No discharge from eyes, nose a					V/O N/A		public health control (procedures /	-	
	Preventing Contaminal	ion by Hands		+			records)	Consumer Advisory		
IN OUT N/O	Hands clean and properly wash	ed		IN	OUT	(N/A)		advisory provided for raw or		
IN OUT (N/O)	No bare hand contact with read	y-to-eat foods or				\sim	undercook	lighly Susceptible Populations		
IN OUT	approved alternate method prop Adequate handwashing facilitie			INI	OUT N	I/O N/A	10 and 10 and	And the last of the last of the		
-1.3 001	accessible			IIN	001 1	I/O/N/A	offered	ed foods used, prohibited foods not		
(IN OUT	Approved Sol Food obtained from approved s			IN	OUT	NUA	F	Chemical		
IN OUT N/O N/A	Food received at proper temper				OUT	N/A		tives: approved and properly used stances properly identified, stored ar	nd	
IN OUT	Food in good condition, safe an	d unadultorated	-	1			used			
IN OUT N/O(N/A/	Required records available: she			IN	OUT	N/A	Compliano	rmance with Approved Procedures ce with approved Specialized Proces	is	
	destruction Protection from Con	tamination		-			and HACC			
IN OUT N/A	Food separated and protected				letter to	the left of	each item i	ndicates that item's status at the tim	e of the	
IN OUT (N/A)	Food-contact surfaces cleaned	& sanitized		1	IN = in	complianc		OUT = not in compliance		
IN OUT N/O	Proper disposition of returned, preconditioned, and unsafe food	reviously served,				t applicable rrected Or		N/O = not observed R = Repeat Item		
	Tecenditioned, and disale loca	GC	OD RETAIL	PRACT	ICES	3 54 7	Karana J		THE REAL PROPERTY.	9/1 1/
JN OUT	Good Retail Practices are preven	tative measures to co	ntrol the intro	oduction	of path	ogens, che				
	Safe Food and Water eurized eggs used where required		COS R	IN	OUT	In-use ut	ensils: prop	per Use of Utensils	cos	R
Wate	er and ice from approved source					Utensils,	equipment	and linens: properly stored, dried,		
1000	Food Temperature Con	trol	1	7		handled Single-us	se/single-se	rvice articles: properly stored, used		
	quate equipment for temperature co			7			sed properly	у		
	mometers provided and accurate			-		Food and	Utensils,	Equipment and Vending ontact surfaces cleanable, properly		
2	(Provide Value Operation			1		designed	d, constructe	ed, and used		
	Food Identification			MAI	M	Warewas strips us		es: installed, maintained, used; test		
Food	f properly labeled; original containe Prevention of Food Contam			7		Nonfood	-contact sur			
	cts, rodents, and animals not prese	nt		COM	OLA	Hot and	cold water a	hysical Facilities vailable; adequate pressure		
	amination prevented during food pr display	eparation, storage			1,0,	Plumbing	installed; p	roper backflow devices		
Pers	onal cleanliness: clean outer clothir	ig, hair restraint,		1		Sewage	and wastew	ater properly disposed		
Wipii	rnails and jewelry ng cloths: properly used and stored			7	10	Toilet fac	ilities: prope	erly constructed, supplied, cleaned		1
Fruit	s and vegetables washed before us	е		V		Garbage	refuse prop	erly disposed; facilities maintained		
Person in Charge /	Title: / / /	01		2		Physical	facilities ins	talled, maintained, and clean		
	711	y store	ma	1				7/24/11	1	
Inspector: }	In 5 Woll	(83	one No.	9		EPHS No	Pol	low-up: ☐ Yes low-up Date:		No
WO 360-1614 (11-14)	- 1	DISTRIBUTION: WHITE -	OWNER'S COP	Y		CANARY-FIL				E6,37
4	Jes 2/10-1					1126	9			



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

TIME IN	TIME OUT
PAGE of	

ESTABLISHMEN [*]						
		ADDRESS		CITY	ZIP	
Mentes	voton D6 #3019	117 8	wall a	March. L	6383	V
	OD PRODUCT/LOCATION	TEMP.	FOOD PRODUCT	FULCOATION		_
FOC	DD PRODUCT/LOCATION		FOOD PRODUC	I/ LOCATION	TEMF	<u>⊕</u>
Bola	gra looky	35°F				
1.010	The from the	2 2 2 2				
MIL	Claptur	35%				
Code		PRIO	RITY ITEMS		Correct by	Initial
Reference	Priority items contribute directly to the elir or injury. These items MUST RECEIVE I	mination, prevention or re	duction to an acceptable level, hazards	associated with foodborne illness	(date)	Ministra
	or injury. These items MUST RECEIVE I	MMEDIATE ACTION wit	thin 72 hours or as stated.			
	Nove obser	real (a) to	ine of Turson			
	TOUR OPEN	HON CO EI	ine or lurger	Time		-
Code	Core items relate to general capitation on	COI	RE ITEMS		Correct by	Initial
Code Reference	Core items relate to general sanitation, op standard operating procedures (SSOPs).	COI perational controls, facilitie These items are to be o	RE ITEMS es or structures, equipment design, ger	neral maintenance or sanitation	Correct by (date)	Initial
Reference	Core items relate to general sanitation, opstandard operating procedures (SSOPs).	perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Code Reference	Core items relate to general sanitation, opstandard operating procedures (SSOPs). Milk cooks Sh	perational controls, facilities These items are to be	REITEMS es or structures, equipment design, ger corrected by the next regular inspec	neral maintenance or sanitation tion or as stated.	Correct by (date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities These items are to be	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities. These items are to be a successful to the controls.	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities. These items are to be a successful to the controls.	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities. These items are to be a successful to the controls.	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference		perational controls, facilities. These items are to be a successful to the controls.	es or structures, equipment design, ger corrected by the next regular inspec	1 1	(date)	Initial
Reference	Milk cooker Sh	perational controls, facilities. These items are to be a successful to the controls.	es or structures, equipment design, ger corrected by the next regular inspec	1d percent.	Mext Rey Todo	Initial
Reference	Milk cooker Sh	perational controls, facilities. These items are to be a successful to the controls.	es or structures, equipment design, ger corrected by the next regular inspec	1d percent.	Mext Rey Todo	Initial
Person in Cha	Milk cooker Sh	EDUCATION P	ROVIDED OR COMMENTS	Date: J 24K	(date) Next Rey Twop	
Reference	Milk cooker Sh	perational controls, facilities. These items are to be a successful to the controls.	ROVIDED OR COMMENTS	Date: J 24/19	Mext Rey Todo	
Person in Cha	arge /Title: The Wal	EDUCATION P	ROVIDED OR COMMENTS EPHS No.	Date: Date: ZAK Follow-up: Date: Dat	(date) Next Rey Twop	