

MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

THINE, IN	0	TIA	作 户	45
PAGE	of	2		

NEXT ROUTINE INSP	ECTION THIS DAY, THE ITEMS NOTED BELOW IDENTIF PECTION, OR SUCH SHORTER PERIOD OF TIME AS MA TS FOR CORRECTIONS SPECIFIED IN THIS NOTICE M	AY BE SPEC	IFIED IN WE	RITING BY T	HE REGULATORY AUTHORITY, FAILURE TO COM	
ESTABLISHMENT					PERSON IN CHARGE:	
ADDRESS:	IM Main				COUNTY	
CITY/ZIP:	Stor (13834) BHONE: 42-	1-2643	, FAX:		P.H. PRIORITY: H M	Z L
BAKERY RESTAURANT		I IMER F.P.	GROCE TAVER	ERY STOR	E ☐ INSTITUTION ☐ MOBILE VENDO	ORS
PURPOSE Pre-opening	Routine Follow-up Complaint					
FROZEN DESSEI Approved Disagnicense No.	SEWAGE DISPOSAL pproved PUBLIC PRIVATE	WA	ER SUPPI COMMUNI	TY 🗆	NON-COMMUNITY PRIVATE Date Sampled Results	••••
	RISK FACT	distribution of the second	Market Street Street	Minimissiness:		4
foodborne illness out	d preparation practices and employee behaviors most com breaks. Public health interventions are control measures	s to prevent f	oodborne illn	ess or injury		
Compliance N OUT	Demonstration of Knowledge Person in charge present, demonstrates knowledge, and performs duties	COS R		N/Q N/A	Proper cooking, time and temperature	COS R
(A) OUT	Employee Health			N/O(N/A)	Proper reheating procedures for hot holding	
IN OUT	Management awareness; policy present Proper use of reporting, restriction and exclusion			N/O N/A	Proper cooling time and temperatures Proper hot holding temperatures	
	Good Hygienic Practices Proper eating, tasting, drinking or tobacco use		IN OUT	N/A N/O (N/A2	Proper cold holding temperatures Proper date marking and disposition	
IN OUT N/O	No discharge from eyes, nose and mouth			N/Q/N/A	Time as a public health control	
	Preventing Contamination by Hands				(procedures/records) Consumer Advisory	
IN OUT N/O	Hands clean and properly washed		IN OUT	(N/A)	Consumer advisory provided for raw or undercooked food	
IN OUT NO	No bare hand contact with ready-to-eat foods or approved alternate method properly followed				Highly Susceptible Populations	
IN OUT	Adequate handwashing facilities supplied & accessible				Pasteurized foods used, prohibited foods not offered	
TO OUT	Approved Source		IN OUT	(1)	Chemical	
IN OUT N/O N/A	Food obtained from approved source Food received at proper temperature		IN OUT	(N/A)	Food additives: approved and properly used Toxic substances properly identified, stored and	
IN OUT	Food in good condition, safe and unadulterated				Conformance with Approved Procedures	
IN OUT N/O N/A	Required records available: shellstock tags, parasite destruction		IN OUT	N/A	Compliance with approved Specialized Process and HACCP plan	
	Protection from Contamination		71	1 - 11 - 1 - 61 - 6		
IN OUT N/A	Food separated and protected		The letter to the left of each item indicates that item's status at the time of the inspection.			
IN OUT N/A	Food-contact surfaces cleaned and sanitized			n compliand not applicable		
IN OUT (N/O)	Proper disposition of returned, previously served, reconditioned, and unsafe food		1477	от арриоави	, , , , , , , , , , , , , , , , , , , ,	
	Good Retail Practices are preventative measures to cor	OD RETAIL			emicals, and physical objects into foods.	
IN OUT	Safe Food and Water	COS R	IN OUT	-	Proper Use of Utensils CO	S R
	teurized eggs used where required ter and ice from approved source		X		ensils: properly stored equipment and linens: properly stored, dried,	
110			13	handled	se/single-service articles: properly stored, used	
Ade	Food Temperature Control equate equipment for temperature control		12		sed properly	
	proved thawing methods used			Food an	Utensils, Equipment and Vending dinonfood-contact surfaces cleanable, properly	-
THE			X	designed	, constructed, and used	
	Food Identification		X	strips us	shing facilities: installed, maintained, used; test	
Foo	od properly labeled; original container Prevention of Food Contamination		L X	Nonfood	-contact surfaces clean Physical Facilities	
	ects, rodents, and animals not present		X		cold water available; adequate pressure	
and	ntamination prevented during food preparation, storage display		X		g installed; proper backflow devices	
	sonal cleanliness: clean outer clothing, hair restraint, ernails and iewelry		X	Sewage	and wastewater properly disposed	
fingernails and jewelry Wiping cloths: properly used and stored			8		dilities: properly constructed, supplied, cleaned	
Fruits and vegetables washed before use			X		/refuse properly disposed; facilities maintained facilities installed, maintained, and clean	
Person in Charge	Title:		Ţ.		Date: 8 - 9 - 2023	
Inspector	Mazu	one No	2191	EPHS No	Follow-up: Yes Follow-up Date:	No
MO 580-1814 (9-13)	DISTRIBUTION: WHITE-	OWNER'S COP	1111	CANARY - FI		E6.37



MISSOURI DEPARTMENT OF HEALTH AND SENIOR SERVICES BUREAU OF ENVIRONMENTAL HEALTH SERVICES FOOD ESTABLISHMENT INSPECTION REPORT

THE IN 20	TIME 0075
PAGE 2 of	2

ESTABLISHMEN	ax Govern	ADDRESS	M Main	CHY N	arleston	To 382	34
No.	OD PRODUCT/LOCATION	TEMP.	FOO	OD PRODUCT/ LOCAT		TEMP	
Ambi	ent Air (Ala) mille Cubler	360+					
AH II	vich meal code	- 35°F		V-			
AM pri	duce display	37°F					
Code	CORP	(4) E. C.	PRIORITY ITEMS		The Rell Scott	Correct by	Initial
Reference	Priority items contribute directly to the elir or injury. These items MUST RECEIVE I	mination, prevention MMEDIATE ACTIO	n or reduction to an acceptabl ON within 72 hours or as sta	le level, hazards associated ated.	I with foodborne illness	(date)	
	4 (1)	101 01	this tim				
	V / O	M WI	14112 11140				
Code	Para llaine dileta la conseil conficient de	norminal controls	CORE ITEMS	word dealtin apparate avalate	Name of an illustrate	Correct by	Initial
Code Reference	Core items relate to general sanitation, op- standard operating procedures (SSOPs).	perational controls, These items are	CORE ITEMS facilities or structures, equipm to be corrected by the next	ment design, general mainte regular Inspection or as s	enance or sanitation stated.	Correct by (date)	Initial
			facilities or structures, equipment to be corrected by the next			Correct by (date)	Initial
Reference	Floors through	nout	facilities or structures, equipment to be corrected by the next	ment are	dary.	Correct by (date)	Initial
			facilities or structures, equipment to be corrected by the next		daty.	Correct by (date) MRI	(nitial)
(0-501.11	Floors through	hout milk debr	facilities or structures, equipment to be corrected by the next and the second of the	resoled pottom o	dry. With F conter.	Correct by (date) NRT	Initial
Reference	Floors through	hout milk debr	facilities or structures, equipment to be corrected by the next	resoled pottom o	daty.	Correct by (date) MRI MRI	Initial
(0-501.11	Floors through	hout milk debr	facilities or structures, equipment to be corrected by the next and the second of the	resoled pottom o	dry. With F conter.	Correct by (date) MRI MRI MRI	Initial
(0-501.11	Floors through	hout milk debr	facilities or structures, equipment to be corrected by the next and the second of the	resoled pottom o	dry. With F conter.	Correct by (date) MRI MRI MRI	Initial
(0-501.11	Floors through	hout milk debr	facilities or structures, equipment to be corrected by the next and the second of the	resoled pottom o	dry. With F conter.	Correct by (date) MRI MRI	Initial
(0-501.11	Floors through	hout milk debr	facilities or structures, equipment to be corrected by the next and the second of the	resoled pottom o	dry. With F conter.	Correct by (date) NRI NRI NRI	Initial
(0-501.11	Floors through	hout milk debr	facilities or structures, equipment to be corrected by the next and the second of the	resoled pottom o	dry. With F conter.	Correct by (date) MRI MRI MRI	Initial
(0-501.11	Floors through	hout milk debr	facilities or structures, equipment to be corrected by the next and the second of the	resoled pottom o	dry. With F conter.	Correct by (date) NRI NRI	Initial
(0-501.11	Floors through	hout debr	facilities or structures, equipment to be corrected by the next less than the corrected by the corrected	ment are resoiled portam o or tiles th	dry. With F conter.	Correct by (date) MRI MRI	Initial
(0-501.11	Floors through	hout milkedeby	facilities or structures, equipment to be corrected by the next of the control of	ment are resorted bottom o or tiles th	dry. With F conter.	Correct by (date) NRI NRI	Initial
(0-501.1)	Floors maide Doors maide Sportfur and Damaged a Store.	hout debr	facilities or structures, equipment to be corrected by the next of the control of	ment are resoiled portam o or tiles th	duty. With Conser. roughout	Correct by (date) NRI NRI	Initial
(0-501.11	Floors maide Doors maide Sportfur and Damaged a Store.	hout debr	facilities or structures, equipment to be corrected by the next of the control of the structures, equipment to be corrected by the next of the control of th	ment are resorted bottom o or tiles th	dry. With F conter.	NRI NRI NRI	Initial